

AVI105G2

Wine Cellar service



Built-in column

GENERAL INFORMATION

Number of bottles : 62

Number of zones : 2

Adjustable temperature range : 5-20°C

Noise level : 39dB

Energy class : G

Climate class : SN (10-32)

Vinotag compatible : Yes

Product description

Built-In Column Wine Cellar: Elegance and Performance for Your Tastings

Discover a built-in column wine cellar designed to elevate your tasting moments with dual temperature zones. Perfect for storing bottles at distinct temperatures, it allows the full expression of your wines' aromas.

Specifically designed to harmoniously **align with a column featuring a 60 cm oven and a 45 cm microwave**, it ensures aesthetic continuity and perfect integration into your kitchen.

Additional features include **telescopic rail** shelves for smooth and secure access, a **reversible door** for flexible installation, and a **presentation shelf** at the bottom, ideal for showcasing your most treasured bottles.



PRESENTATION SHELF

For a highlight of your most beautiful bottles in vertical position



MULTI-POSITION SHELF

Customize the storage of your wine cellar by choosing whether or not to highlight the labels



TELESCOPIC RAILS

This model is equipped with shelves on telescopic rails



VINOTAG COMPATIBLE

Free wine cellar management application. Access a virtual representation of your cellar

AVI105G2

EAN-13 - 3595320108019

Capacity and Temperature

- **Number of bottles: 62**
 - Upper zone : 33
 - Lower zone : 29
- **Adjustable temperature: 5-20°C**
 - Upper zone : 5-12°C
 - Lower zone : 12-20°C

Door

Door color : black windows effect
Door glass color : Grey
Number of glass layers : 3
Anti-UV : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar

Security

Alarm : Door, Temperature
Child lock : No
Temperature memory : No

Logistic

Net dimensions (WxDxH): 58.9 x 55.7 x 105.5
Gross dimensions (WxDxH): 65.6 x 62.0 x 109.0
Net weight (kg) : 55.0
Gross weight (kg) : 58.0


Technical Data

Energy class : G
Annual energy (KWh/a) : 145
Climate class : SN (10-32)
Noise level : 39dB / C
Energy Efficiency Index : 167 %
Power input : 68.00 W
Voltage : 220-240 V
Length of power cable : 200 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 35 g
Mainly recyclable product : Yes
Type of compressor : Standard
Main cooling system : Air moving system
Anti-vibration system : Yes
Adjustable feet : 4 / 0.8 cm

Light

Light source : LED
Light color(s) : White
Dimmable light : no
Light switch : yes
Permanent light option : Yes

Qtty per 20' : 0
Qtty per 40' : 0
Qtty per 40 HC: 114
Customs code: 84185090



Accessories

- 6 shelves, wooden, sliding, rails
- 1 presentation shelf, wooden

Built-in information

Built-in dimensions (WxDxH) : 55.00 x 55.00 x 103.50

Warning installation : Hot air must be driven by the ventilation to the rear wall of the cellar and then expelled upwards. The ventilation channels shall be at least 200 square centimeters in cross-section. Warning: to ensure proper operation, the ventilation grilles must never be obstructed or covered.

