

OZF60DB



Wine Cellar service
Oslo series
Built-in column



GENERAL INFORMATION

Capacity : 24
Number of zones : 2
Operating temperature range : 5-20°C
Noise level : 39dB
Energy efficiency class : F
Climate class : N/ST (16-38)
EPREL code : 2516431
Vinotag compatible : Yes

Product description

Wine cabinet with two temperature zones (5–12 °C, 12–20 °C) and room for up to 24 wine bottles. With two zones, you can always keep both white wine and red wine ready to serve!


Modern Scandinavian design developed for integration into a tall cabinet. The front features an elegant door in 2-layer tempered glass with UV protection, protecting the wine against harmful UV rays and heat. With a digital display and touch panel, you have full control over temperature and lighting, while dimmable LED side lighting presents your wine collection in an elegant way.

The new and improved ventilation system with front ventilation means that you no longer need separate ventilation at the top and bottom of the cabinet, making integration simpler and more seamless.



Dimmable LED-lighting

Adjust the brightness of the LED-lighting in four stages - 25% / 50% / 75% / 100%



Front ventilation system

Effortless installation with front ventilation system, no longer requiring high and low column ventilation

PANTOGRAPH HINGE

High-quality hinge for smooth opening and closing



Inclined control panel

Easy and intuitive control of temperature and lighting.

OZF60DB

EAN-13 - 7073437000694

Capacity and Temperature

- **Number of bottles: 24**
 - Upper zone : 13
 - Lower zone : 11
- **Adjustable temperature: 5-20°C**
 - Upper zone : 5-12°C
 - Lower zone : 12-20°C

Door

Door color : black windows effect
Door glass color : Grey
Number of glass layers : 2
Anti-UV : Yes
Low-e glass : Yes
Tempered glass : Yes
Lock : No
Reversible door : Yes
Handle type : Pulling bar
Pantograph hinge : Yes
Self-closing door : Yes
Door dimensions (WxDxH) : 59.3x4.8x59.5

Security

Alarm : Door, Temperature, Charcoal filter
Winter system : Yes
Child lock : No
Temperature memory : No

Logistic

Net dimensions (WxDxH): 59.3 x 56.5 x 59.5
Gross dimensions (WxDxH): 65.0 x 66.5 x 66.0
Net weight (kg) : 45.0
Gross weight (kg) : 50.0

Technical Data

Energy class : F
Annual energy (KWh/a) : 101
Climate class : N/ST (16-38)
Noise level : 39dB / C
Energy Efficiency Index : 124.4 %
Power input : 130.00 W
Voltage : 220-240 V
Length of power cable : 200 cm
Plug Type : F type
Type of gas : R600a
Gas charge : 24 g
Type of compressor : Inverter
Main cooling system : Air moving system
Evaporator material : Aluminum
Evaporator number : 1
Charcoal filter : 1
Anti-vibration system : Yes
Adjustable feet : 4 / 2 cm


Light

Light source : LED
Light color(s) : White
Dimmable light : yes
Light switch : yes
Permanent light option : Yes

Qty per 20' :
Qty per 40' :
Qty per 40 HC :
Customs code: 8418509000

OZF60DB

EAN-13 - 7073437000694



Accessories

- 2 presentation shelves, wooden, sliding, rails, anti-vibration system
- 1 shelf, wooden, sliding, rails, anti-vibration system

Built-in information

Built-in dimensions (WxDxH) : 55.50 x 56.00 x 58.70

Self ventilation system : Yes

Installation warning : This product is equipped with a front ventilation system. Follow the installation instructions to ensure proper operation of the unit.